



BLREGKNX0024DC33020004035X

Article no.: 101673

336
W

Output power range

14000
mA

Output current range

12 - 24
V


Input voltage range

KNX

Control signal

TENDER TEXT

BILTON REG KNX 12-24VDC 330W IP20 4Kanal 3,5A/Kanal LED dimmer BILTON LEDON TechnologyREG KNX Article 101673 The REG series is a 1- to 4 channel LED dimmer for modules in constant current operation. The total load of max. 14000 mA can be freely distributed to these 4 channels. The controller is operated with KNX and 12 - 24 V and has an output voltage of 12-24 VDC. The power dissipation in stand-by is 0.5 W. The dimming frequency of the PWM signal is 600 Hz. Protection degree IP20 and protection class III . Dimension (L x W x H): 52.0 mm x 90.0 mm x 59.0 mm



BLREGKNX0024DC33020004035X

Article no.: 101673

MECHANICAL DATA

Net width [mm]	90.0
Net height [mm]	59.0
Net length [mm]	52.0
Degree of protection (IP)	IP20
Housing	Plastic housing
Colour	Black
Core cross section [mm ²]	0,75 - 1,5
Net weight [g]	119

ELECTRICAL DATA

Control signal	KNX
Input voltage range [V]	12 - 24
Voltage type	DC
Standby power consumption (solstandby) [W]	0.5
Output power range [W]	336
Output voltage range [V]	12 - 24
With overheating protection	yes
Overload protection	yes
Output current range [mA]	14000
Protection class	III
Number of channels	4
Dimming frequency [Hz]	600

TEMPERATURE TECHNICAL DATA

Ambient temperature during operating [°C]	- 5 ... + 45
Ambient/storage temperature [°C]	- 20 ... + 50
Operation temperature at Tc [°C]	0 ... + 50
Lifespan at 20 °C [h]	45000

PACKAGING INFORMATION

Article no.	101673
Customs tariff number	85423190
Length [mm]	52.0
Gross weight [g]	173.0
Gross height [mm]	80.0
Gross width [mm]	80.0
Gross length [mm]	110.0
State of origin	SI

NECESSARY ACCESSORIES

BLREGKNX0024DC33020004035X

Article no.: 101673

Article	Article no.
Power Supply 60	170807
Power Supply 100	170806

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.biltongroup.com

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.biltongroup.com